

<b>Rodové meno</b> <b>Druhové meno (latinsky)</b>	<b>Odporúčaná veľkosť</b> <b>krúžku pre daný druh (v mm)</b>
<b><i>Agapornis</i></b>	
<i>Agapornis canus</i>	3,5 – 4,0
<i>Agapornis fischeri</i>	4,0 – 4,5
<i>Agapornis lilianae</i>	4,0 – 4,5
<i>Agapornis nigrigenis</i>	3,5 – 4,0
<i>Agapornis personatus</i>	4,0 – 4,5
<i>Agapornis pullarius</i>	3,5 – 4,0
<i>Agapornis roseicollis</i>	4,0 – 4,5
<i>Agapornis swindernianus</i>	4,0 – 4,5
<i>Agapornis taranta</i>	4,0 – 4,5
<b><i>Psittacula</i></b>	
<i>Psittacula alexandri</i>	6,5 – 8,0
<i>Psittacula calthorpae</i>	6,0 – 6,5
<i>Psittacula caniceps</i>	8,5
<i>Psittacula columboides</i>	6,5
<i>Psittacula cyanocephala</i>	5,5 – 6,0
<i>Psittacula derbiana</i>	9,0 – 9,5
<i>Psittacula echo</i>	8,0 – 8,5
<i>Psittacula eupatria</i>	8,0 – 9,0
<i>Psittacula himalayana</i>	6,5
<i>Psittacula intermedia</i>	6,0
<i>Psittacula krameri</i>	7,0
<i>Psittacula longicauda</i>	6,5 – 8,5
<i>Psittacula roseata</i>	6,0
<b><i>Amazona</i></b>	
<i>Amazona collaria</i>	8,0
<i>Amazona leucocephala</i>	8,5 – 9,0
<i>Amazona ventralis</i>	8,0
<i>Amazona albifrons</i>	7,5 – 8,0
<i>Amazona xantholora</i>	7,5
<i>Amazona agilis</i>	7,5
<i>Amazona vittata</i>	9,0 – 9,5
<i>Amazona tucumana</i>	8,0 – 9,5
<i>Amazona pretrei</i>	8,0 – 9,5
<i>Amazona viridigenalis</i>	9,0 – 9,5
<i>Amazona finschi</i>	8,5 – 9,5
<i>Amazona autumnalis</i>	8,0 – 9,5
<i>Amazona brasiliensis</i>	10,0 – 11,0
<i>Amazona rhodocorytha</i>	9,0 – 10,0
<i>Amazona festiva</i>	9,0 – 10,0
<i>Amazona xanthops</i>	8,0 – 9,5
<i>Amazona barbadensis</i>	8,0 – 9,0
<i>Amazona aestiva</i>	9,0 – 9,5
<i>Amazona ochrocephala</i>	11,0
<i>Amazona amazonica</i>	8,5 – 9,0
<i>Amazona mercenaria</i>	8,0 – 8,5
<i>Amazona farinosa</i>	10,5 – 11,0
<i>Amazona vinacea</i>	8,5 – 9,0
<i>Amazona versicolor</i>	10,0 – 11,0
<i>Amazona arausiaca</i>	10,0
<i>Amazona guildingii</i>	11,0
<i>Amazona imperialis</i>	12,0

<b><i>Deroptyus</i></b>	
<i>Deroptyus accipitrinus</i>	8,0 – 8,5
<b><i>Triclaria</i></b>	
<i>Triclaria malachitacea</i>	7,0
<b><i>Graydidascalus</i></b>	
<i>Graydidascalus brachyurus</i>	9,0
<b><i>Gypopsitta</i></b>	
<i>Gypopsitta vulturina</i>	8,5
<b><i>Hapalopsittaca</i></b>	
<i>Hapalopsittaca melanotis</i>	9,0
<i>Hapalopsittaca amazonina</i>	8,0 – 8,5
<b><i>Pionites</i></b>	
<i>Pionites melanocephalus</i>	8,5 – 9,0
<i>Pionites leucogaster</i>	9,0 – 9,5
<b><i>Pionopsitta</i></b>	
<i>Pionopsitta pileata</i>	7,5 – 8,0
<i>Pionopsitta haematotis</i>	8,5
<i>Pionopsitta pulchra</i>	9,0 – 9,5
<i>Pionopsitta barrabandi</i>	8,5 – 9,0
<i>Pionopsitta pyrilia</i>	8,5
<i>Pionopsitta caica</i>	8,5 – 9,0
<b><i>Pionus</i></b>	
<i>Pionus menstruus</i>	9,0 – 10,0
<i>Pionus sordidus</i>	9,5 – 10,5
<i>Pionus maximiliani</i>	9,5 – 10,0
<i>Pionus tumultuosus</i>	10,0
<i>Pionus senilis</i>	9,5 – 10,0
<i>Pionus chalcopterus</i>	9,5 – 10,0
<i>Pionus fuscus</i>	10,0
<b><i>Melopsittacus</i></b>	
<i>Melopsittacus undulatus</i>	4,0
<b><i>Anodorhynchus</i></b>	
<i>Anodorhynchus hyacinthinus</i>	18,0
<i>Anodorhynchus glaucus</i>	16,0
<i>Anodorhynchus leari</i>	15,0 – 17,0
<b><i>Ara</i></b>	
<i>Ara ararauna</i>	14,0 – 15,0
<i>Ara glaucogularis</i>	13,0 – 14,0
<i>Ara militaris</i>	14,0 – 15,0
<i>Ara ambiguus</i>	14,0 – 15,0
<i>Ara macao</i>	14,0 – 15,0
<i>Ara chloropterus</i>	16,0
<i>Ara rubrogenys</i>	12,0
<i>Ara auricollis</i>	7,5 – 8,5
<i>Ara severus</i>	9,5 – 10,0
<i>Ara manilata</i>	9,5 – 10,0

<i>Ara maracana</i>	9,0 – 9,5
<i>Ara couloni</i>	9,5
<i>Ara nobilis</i>	7,5
<b>Cyanopsitta</b>	
<i>Cyanopsitta spixii</i>	10,0
<b>Rhynchopsitta</b>	
<i>Rhynchopsitta pachyrhyncha</i>	8,0 – 10,0
<b>Aratinga</b>	
<i>Aratinga acuticaudata</i>	6,0 – 6,5
<i>Aratinga guarouba</i>	7,0 – 7,5
<i>Aratinga holochlora</i>	6,0 – 6,5
<i>Aratinga finschi</i>	6,0
<i>Aratinga wagleri</i>	6,0 – 7,0
<i>Aratinga mitrata</i>	7,0
<i>Aratinga erythrogenys</i>	6,0
<i>Aratinga leucophthalma</i>	6,0 – 7,0
<i>Aratinga chloroptera</i>	6,0 – 6,5
<i>Aratinga euops</i>	5,0 – 6,0
<i>Aratinga auricapilla</i>	6,0
<i>Aratinga jandaya</i>	6,0 – 6,5
<i>Aratinga solstitialis</i>	6,0 – 6,5
<i>Aratinga weddellii</i>	5,5 – 6,0
<i>Aratinga nana</i>	5,0 – 5,5
<i>Aratinga canicularis</i>	5,0
<i>Aratinga pertinax</i>	5,0 – 5,5
<i>Aratinga cactorum</i>	4,5 – 5,0
<i>Aratinga aurea</i>	5,0
<b>Bolborhynchus</b>	
<i>Bolborhynchus aymara</i>	4,5
<i>Bolborhynchus aurifrons</i>	4,5
<i>Bolborhynchus lineola</i>	4,5
<i>Bolborhynchus orbynesius</i>	5,0 – 5,5
<i>Bolborhynchus ferrugineifrons</i>	5,0 – 6,0
<b>Charmosyna</b>	
<i>Charmosyna palmarum</i>	4,0 – 4,5
<i>Charmosyna rubrigularis</i>	3,5 – 4,0
<i>Charmosyna meeki</i>	3,5 – 4,0
<i>Charmosyna toxopei</i>	3,5 – 4,0
<i>Charmosyna multistriata</i>	4,0 – 4,5
<i>Charmosyna wilhelminae</i>	3,0 – 3,5
<i>Charmosyna rubronotata</i>	3,5 – 4,0
<i>Charmosyna placentis</i>	3,5 – 4,0
<i>Charmosyna diadema</i>	4,5
<i>Charmosyna amabilis</i>	4,0
<i>Charmosyna margarethae</i>	5,0
<i>Charmosyna pulchella</i>	3,5 – 4,0
<i>Charmosyna josefinae</i>	5,0 – 5,5
<i>Charmosyna papou</i>	5,5 – 6,0
<b>Cacatua</b>	
<i>Cacatua leadbeateri</i>	10,0 – 11,0
<i>Cacatua sulphurea</i>	9,0 – 10,0

<i>Cacatua galerita</i>	10,0 – 12,0
<i>Cacatua ophthalmica</i>	11,0 – 12,0
<i>Cacatua moluccensis</i>	13,0 – 14,0
<i>Cacatua alba</i>	11,0 – 12,0
<i>Cacatua haematuropygia</i>	9,5 – 10,0
<i>Cacatua goffiniana</i>	9,5 – 10,0
<i>Cacatua sanguinea</i>	10,0 – 12,0
<i>Cacatua ducorpsii</i>	9,0 – 10,0
<i>Cacatua tenuirostris</i>	11,0 – 13,0

### ***Callocephalon***

<i>Callocephalon fimbriatum</i>	11,0
---------------------------------	------

### ***Calyptorhynchus***

<i>Calyptorhynchus funereus</i>	14,0
<i>Calyptorhynchus banksii</i>	14,0
<i>Calyptorhynchus lathami</i>	11,0

### ***Eolophus***

<i>Eolophus roseicapilla</i>	10,0
------------------------------	------

### ***Probosciger***

<i>Probosciger aterrimus</i>	16,0
------------------------------	------

### ***Strigops***

<i>Strigops habroptila</i>	14,0
----------------------------	------

### ***Cyanoramphus***

<i>Cyanoramphus unicolor</i>	5,5
<i>Cyanoramphus novaezelandiae</i>	4,0 – 4,5
<i>Cyanoramphus auriceps</i>	4,0 – 4,5
<i>Cyanoramphus malherbi</i>	4,0 – 4,5
<i>Cyanoramphus zealandicus</i>	5,0 – 5,5
<i>Cyanoramphus ulietanus</i>	5,0 – 5,5

### ***Enicognathus***

<i>Enicognathus ferrugineus</i>	7,0 – 8,0
<i>Enicognathus leptorhynchus</i>	9,0 – 9,5

### ***Nymphicus***

<i>Nymphicus hollandicus</i>	5,5
------------------------------	-----

### ***Eos***

<i>Eos cyanogenia</i>	6,5 – 7,5
<i>Eos squamata</i>	6,5 – 7,5
<i>Eos reticulata</i>	6,5 – 7,5
<i>Eos histrio</i>	6,5 – 7,5
<i>Eos bornea</i>	6,5 – 7,5
<i>Eos semilarvata</i>	6,0 – 6,5

### ***Glossopsitta***

<i>Glossopsitta concinna</i>	5,5 – 6,0
<i>Glossopsitta pusilla</i>	5,0
<i>Glossopsitta porphyrocephala</i>	5,0 – 5,5

### ***Chalcopsitta***

<i>Chalcopsitta atra</i>	8,0 – 9,0
--------------------------	-----------

<i>Chalcopsitta duivenbodei</i>	8,0 – 9,0
<i>Chalcopsitta scintillata</i>	8,0 – 9,0
<i>Chalcopsitta cardinalis</i>	7,5 – 8,0

#### **Lorius**

<i>Lorius hypoinochrous</i>	8,0 – 9,0
<i>Lorius lory</i>	7,5 – 8,0
<i>Lorius albidinucha</i>	7,5 – 8,0
<i>Lorius hypoinochrous</i>	7,0
<i>Lorius chlorocercus</i>	7,5 – 8,0
<i>Lorius domicella</i>	8,0 – 8,5
<i>Lorius tibialis</i>	7,0
<i>Lorius garrulus</i>	7,5 – 8,0

#### **Neopsittacus**

<i>Neopsittacus musschenbroekii</i>	5,5 – 6,0
<i>Neopsittacus pullicauda</i>	5,0 – 6,0

#### **Oreopsittacus**

<i>Oreopsittacus arfaki</i>	4,0 – 4,5
-----------------------------	-----------

#### **Phigys**

<i>Phigys solitarius</i>	6,5 – 7,0
--------------------------	-----------

#### **Pseudeos**

<i>Pseudeos fuscata</i>	7,0 – 7,5
-------------------------	-----------

#### **Trichoglossus**

<i>Trichoglossus ornatus</i>	6,5 – 7,0
<i>Trichoglossus haematodus</i>	6,5 – 7,0
<i>Trichoglossus rubiginosus</i>	6,5
<i>Trichoglossus johnstoniae</i>	5,5
<i>Trichoglossus flavoviridis</i>	6,0
<i>Trichoglossus chlorolepidotus</i>	5,0 – 5,5
<i>Trichoglossus euteles</i>	5,0 – 5,5

#### **Psitteuteles**

<i>Psitteuteles versicolor</i>	5,0 – 5,5
<i>Psitteuteles iris</i>	5,5 – 6,0
<i>Psitteuteles goldiei</i>	5,0 – 5,5

#### **Opopsitta**

<i>Opopsitta guliemiterti</i>	4,0 – 5,0
<i>Opopsitta diophthalma</i>	4,5 – 5,0

#### **Psittaculirostris**

<i>Psittaculirostris desmarestii</i>	6,0 – 7,0
<i>Psittaculirostris edwardsii</i>	6,0 – 6,5
<i>Psittaculirostris salvadorii</i>	6,0 – 6,5

#### **Loriculus**

<i>Loriculus vernalis</i>	4,0 – 4,5
<i>Loriculus beryllinus</i>	4,0 – 4,5
<i>Loriculus philippensis</i>	4,5 – 5,0
<i>Loriculus galgulus</i>	4,0 – 4,5
<i>Loriculus stigmatus</i>	4,0 – 4,5
<i>Loriculus amabilis</i>	3,5 – 4,5

<i>Loriculus exilis</i>	4
<i>Loriculus flosculus</i>	4
<i>Loriculus pusillus</i>	4,0 – 4,5
<i>Loriculus aurantiifrons</i>	3,5 – 4,0
<b>Prioniturus</b>	
<i>Prioniturus luconensis</i>	7,5
<i>Prioniturus discurus</i>	7,5 – 8,5
<i>Prioniturus montanus</i>	7,0 – 7,5
<i>Prioniturus flavicans</i>	8,0
<i>Prioniturus platurus</i>	8,0 – 8,5
<i>Prioniturus mada</i>	8,0 – 8,5
<b>Tanygnathus</b>	
<i>Tanygnathus megalorhynchus</i>	10,5 – 11,5
<i>Tanygnathus lucionensis</i>	8,5 – 9,5
<i>Tanygnathus sumatranus</i>	9,5 – 10,0
<i>Tanygnathus heterurus</i>	8,0
<i>Tanygnathus gramineus</i>	9,5
<b>Myiopsitta</b>	
<i>Myiopsitta monachus</i>	6,0
<b>Nandayus</b>	
<i>Nandayus nenday</i>	6,0
<b>Neopsephotus</b>	
<i>Neopsephotus bourkii</i>	4,0
<b>Neophema</b>	
<i>Neophema chrysostoma</i>	4,0
<i>Neophema elegans</i>	4,0
<i>Neophema petrophila</i>	4,0
<i>Neophema chrysogaster</i>	4,5
<i>Neophema pulchella</i>	4,0
<i>Neophema splendida</i>	4,0
<b>Nestor</b>	
<i>Nestor notabilis</i>	9,5
<i>Nestor meridionalis</i>	7,0 – 8,0
<b>Prosopeia</b>	
<i>Prosopeia tabuensis</i>	5,5 – 6,5
<i>Prosopeia personata</i>	5,5 – 6,5
<b>Alisterus</b>	
<i>Alisterus scapularis</i>	7,5
<i>Alisterus chloropterus</i>	6,0
<i>Alisterus amboinensis</i>	6,5
<b>Aprosmictus</b>	
<i>Aprosmictus erythropterus</i>	6,5
<i>Aprosmictus jonquillaceus</i>	5,5 – 6,0
<b>Bolbopsittacus</b>	
<i>Bolbopsittacus lunulatus</i>	5,5

<b>Cyanoliseus</b>	
<i>Cyanoliseus patagonus</i>	7,0
<b>Eclectus</b>	
<i>Eclectus roratus</i>	9,5 – 10,5
<b>Eunymphicus</b>	
<i>Eunymphicus cornutus</i>	5,5
<b>Geoffroyus</b>	
<i>Geoffroyus geoffroyi</i>	6,0 – 6,5
<i>Geoffroyus simplex</i>	6,0
<i>Geoffroyus heteroclitus</i>	6,0
<b>Pezoporus</b>	
<i>Pezoporus occidentalis</i>	4,5
<b>Lathamus</b>	
<i>Lathamus discolor</i>	4,5
<b>Leptosittaca</b>	
<i>Leptosittaca branickii</i>	8,0
<b>Ognorhynchus</b>	
<i>Ognorhynchus icterotis</i>	7,5
<b>Pezoporus</b>	
<i>Pezoporus wallicus</i>	4,5
<b>Poicephalus</b>	
<i>Poicephalus robustus</i>	9,0
<i>Poicephalus gulielmi</i>	8,0 – 9,0
<i>Poicephalus cryptoxanthus</i>	6,5 – 7,5
<i>Poicephalus crassus</i>	7,0 – 7,5
<i>Poicephalus senegalus</i>	7,0 – 7,5
<i>Poicephalus rufiventris</i>	7,0
<i>Poicephalus meyeri</i>	6,5 – 7,0
<i>Poicephalus rueppellii</i>	6,5 – 7,0
<i>Poicephalus flavifrons</i>	7,0 – 7,5
<b>Polytelis</b>	
<i>Polytelis swainsonii</i>	6,0 – 6,5
<i>Polytelis anthopeplus</i>	6,0 – 6,5
<i>Polytelis alexandrae</i>	5,0 – 5,5
<b>Psephotus</b>	
<i>Psephotus haematonotus</i>	4,0 – 4,5
<i>Psephotus varius</i>	4,0 – 4,5
<i>Psephotus chrysopterygius</i>	4,0 – 4,5
<i>Psephotus pulcherrimus</i>	4,0 – 4,5
<b>Northiella</b>	
<i>Northiella haematogaster</i>	4,0 – 4,5
<b>Psittacella</b>	
<i>Psittacella brehmii</i>	5
<i>Psittacella picta</i>	4,5

<i>Psittacella modesta</i>	4
<i>Psittacella madaraszii</i>	4
<b><i>Psittacus</i></b>	
<i>Psittacus erithacus</i>	11 – 11,5
<i>Psittacus e. timneh</i>	9,5
<b><i>Psittinus</i></b>	
<i>Psittinus cyanurus</i>	4,5 – 5,0
<b><i>Purpureicephalus</i></b>	
<i>Purpureicephalus spurius</i>	6,0 – 6,5
<b><i>Forpus</i></b>	
<i>Forpus cyanopygius</i>	3,5 – 4,0
<i>Forpus passerinus</i>	3,5 – 4,0
<i>Forpus xanthopterygius</i>	4,0
<i>Forpus conspicillatus</i>	4,0
<i>Forpus modestus (F. sclateri)</i>	4,0
<i>Forpus coelestis</i>	4,0 – 4,5
<i>Forpus xanthops</i>	4,5 – 5,0
<b><i>Micropsitta</i></b>	
<i>Micropsitta pusio</i>	3,5 – 4,0
<i>Micropsitta keiensis</i>	3,5 – 4,0
<i>Micropsitta geelvinkiana</i>	3,5 – 4,0
<i>Micropsitta meeki</i>	3,5 – 4,0
<i>Micropsitta finschii</i>	3,5 – 4,0
<i>Micropsitta bruijnii</i>	3,5 – 4,0
<b><i>Pyrrhura</i></b>	
<i>Pyrrhura cruentata</i>	6,0
<i>Pyrrhura devillei</i>	5,0 – 5,5
<i>Pyrrhura frontalis</i>	5,0 – 5,5
<i>Pyrrhura perlata</i>	5,0 – 5,5
<i>Pyrrhura molinae</i>	5,0 – 6,0
<i>Pyrrhura leucotis</i>	5,0 – 5,5
<i>Pyrrhura picta</i>	5,0 – 5,5
<i>Pyrrhura egregia</i>	5,0 – 5,5
<i>Pyrrhura melanura</i>	5,0 – 5,5
<i>Pyrrhura orcesi</i>	nezist'ované
<i>Pyrrhura albipectus</i>	5,5 – 6,0
<i>Pyrrhura rupicola</i>	5,0 – 5,5
<i>Pyrrhura calliptera</i>	5,5 – 6,0
<i>Pyrrhura hoematotis</i>	5,0 – 6,0
<i>Pyrrhura rhodocephala</i>	5,5
<i>Pyrrhura hoffmanni</i>	5,5 – 6,0
<i>Pyrrhura perlata (syn. rhodogaster)</i>	5,0 – 6,0
<i>Pyrrhura viridicata</i>	5,5 – 6,0
<b><i>Platycercus</i></b>	
<i>Platycercus caledonicus</i>	5,5 – 6,0
<i>Platycercus elegans</i>	
(syn. <i>flaveolus</i> , <i>adelaide</i> )	5,5 – 6,0
<i>Platycercus eximius</i>	5,0 – 5,5
<i>Platycercus adscitus</i>	5,0 – 5,5
<i>Platycercus venustus</i>	4,5 – 5,0



*Platycercus icterotis* 4,5 – 5,0

***Nannopsittaca***

*Nannopsittaca panychlora* 4

***Touit***

*Touit batavica* 4,5

*Touit huetii* 4,5

*Touit dilectissima* 5

*Touit purpuratus* 5

*Touit melanonotus* 4,5

*Touit surda* 4,5

*Touit stictopectera* 5

***Brotogeris***

*Brotogeris tirica* 5,5 – 6,0

*Brotogeris versicolurus* 6,0 – 6,5

*Brotogeris pyrrhopterus* 5,5 – 6,0

*Brotogeris jugularis* 5,0 – 5,5

*Brotogeris cyanopectera* 5,5 – 6,0

*Brotogeris chrysopterus* 5,5 – 6,0

*Brotogeris sanctithomae* 5,0 – 5,5

***Psittichas***

*Psittichas fulgidus* 9,0 – 9,5

***Coracopsis***

*Coracopsis vasa* 9,0 – 9,5

*Coracopsis nigra* 6,5 – 8,5

***Vini***

*Vini australis* 5,0

*Vini kuhlii* 6,0

*Vini stephensi* 6,0

*Vini peruviana* 5,0 – 5,5

*Vini ultramarina* 5,0 – 5,5